

# Microalgae as source of biofuel: Technology and prospective

Ferraro A.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© Published under licence by IOP Publishing Ltd. Microalgae are autotrophic organisms found in solitary cells or in groups of single cells connected together. Their natural environment are typically freshwater and marine systems. Microalgae produce, via photosynthesis, approximately one-half of oxygen generated on earth while simultaneously consume carbon dioxide (CO<sub>2</sub>). Among the technologies being examined to produce green fuels (e.g. biodiesel, bioethanol and syngas), microalgae are viewed by many in the scientific community as having the greatest potential to become economically viable fuels. Nevertheless, to reach economic parity with fossil fuels there are still several challenges to be tackle. These include improving harvesting and oil extraction processes as well as increasing biomass productivity and oil content. All of these challenges can be impacted by genetic, molecular, and ultimately synthetic biology techniques.

<http://dx.doi.org/10.1088/1742-6596/939/1/012038>

---

## References

- [1] U.S. Census bureau, International Data Base, July 2015  
<http://www.census.gov/population/international/data/worldpop/graph-population.php> - ref-separator -
- [2] Rosenberg N, Oyler A, Wilkinson L and Betenbaugh J 2008 Curr. Opin. Biotechnol. 19 430
- [3] Mata M, Martins A and Caetano N 2010 Renew Sust Energ Rev 14 217
- [4] Kim J, Yoo G, Lee H, Lim J, Kim K, Kim C W and Yang J W 2013 Biotechnol. Adv. 31 862
- [5] Zhang X, Rong J, Chen H, He C and Wang Q 2014 Front. En. Res 2 32
- [6] Wang B, Lan Q and Horsman M 2012 Biotechnol. Adv 30 904
- [7] Carvalho P, Meireles A and Malcata X 2006 Biotechnol. progr. 22 1490
- [8] Norsker H, Barbo J, Vermuë H and Wijffels H 2011 Biotechnol. Adv. 29 24
- [9] Acien G, Fernández M, Magán J and Molina E 2012 Biotechnol. Adv. 30 1344
- [10] Ruiz J, Olivieri G, de Vree J, Bosma R, Willems P et al 2016 Energy Environ. Sci. 9 3036
- [11] Maliaritsi E, Zoumpoulakis L, Simitzis J E et al 2006 J Magn Magn Mater 299 41
- [12] Safarik I, Prochazkova G, Pospiskova K and Branyik T 2016 Crit. Rev. Biotechnol. 36 931
- [13] Antipas G, Statharas E, Tserotas P et al 2013 Chem. Phys. Chem. 14 1934
- [14] Dinh T, Guo Y and Mannan S 2009 Environ. Prog. Sustain. Energy 28 38
- [15] Smith H, Sturm M, deNoyelles J and Billings A 2009 Trends Ecol. Evol. 25 301
- [16] Ramos-Suárez L and Carreras N 2014 Chem. Eng J. 242 86
- [17] Pragma N, Pandey K and Sahoo K 2013 Renew Sust Energ Rev 24 159
- [18] Fiori L, Valbusa M and Castello D 2012 Bioresour. Technol. 121 139
- [19] Caputo G, Dispenza M, Rubio P, Scargiali F et al 2016 J Supercrit. Fluids 118 163